

VERTEX™

VERTEX™

VERTEX™

VERTEX™

VERTEX™

Apache
Technologies

Single & Dual Slope Laser

Ideal For Machine Control

25% Slope Capability

3 Year Warranty




VERTEX™
High Performance Slope Laser



The VERTEX is a high performance, economical construction laser solution.

Versatile

- Laser can be used for flat, single slope, and dual slope applications.
- Large grade range - up to 25% in increments of .01%.
- Cover large job sites with 1650 ft. range from laser.
- Ideal for shooting "over the top" in pipe laying applications.
- Long battery life; rechargeable battery option.



Full Featured

- Electronic self-leveling compensation eliminates turning leveling screws for fast set up.
- Selectable Speed - 600, 900 and 1200 rpm for precision machine control applications.
- Height of Instrument Alert (H.I.) prevents errors if the laser is bumped.
- Full 36 month warranty - the industry's best.
- Construction tough housing is dust and water resistant.



Dual grade slope adapter is standard.



Apache manufactures a complete line of machine control receivers and handheld laser detectors.



Vertex Specifications

- Range: 1650 ft. radius (500 m)
3300 ft. diameter (1000 m)
- Slope Capability: 0-25%, in .01% increments
- Horizontal Accuracy: ±10 arc seconds (±1/16" per 100 ft.)
- Rotation Speed(s): 600, 900, 1200 rpm
- Self-Leveling Range: ± 4°
- Batteries: 4 x "C" Cell
Rechargeable Ni-MH (optional)
- Battery Life (continuous): 70 hrs. (600 rpm, alkalines)
55 hrs. (600 rpm, Ni-MH)

Cyclone Laser Detector

- 7 distinct accuracy levels.
- Water and dustproof to IP67, including the battery compartment.
- 3 Year "No Excuses" warranty.
- Patented reversible mounting jaw on clamp. Viselike grip on all sizes and shapes of rods.



Cyclone Specifications

- Range: 1650 ft. radius (500 m)
- Detection Accuracy: Super Fine ±1/64" (±0.50mm)
Fine ±1/32" (±1.00mm)
Medium ±1/16" (±2.00mm)
Coarse ±1/8" (±3.00mm)
3 Industrial Settings
- Reception Angle: ± 45° (90°)
- Batteries: 2 x "AA" batteries
- Battery Life: (continuous): More than 90 hours

*Features and Specifications subject to improvement without notice.



MADE IN USA

© Apache Technologies, Inc. 10/06
Reorder P/N VTX06R2



8261 State Route 235
Dayton, Ohio 45424 USA
Phone: 937-482-0200
Toll Free: 888-272-2433
Fax: 937-482-0030
www.apache-laser.com